

Message

---

**From:** Shoven, Heather [shoven.heather@epa.gov]  
**Sent:** 8/14/2018 7:54:18 PM  
**To:** Harris, Kimberly [harris.kimberly@epa.gov]; Holst, Linda [holst.linda@epa.gov]; Baltazar, Debbie [baltazar.debbie@epa.gov]; Poy, Thomas [poy.thomas@epa.gov]; Bair, Rita [bair.rita@epa.gov]; Wilson, Jennifer [wilson.jenniferA@epa.gov]  
**CC:** Klassman, Debra [klassman.debra@epa.gov]; Clark, Jacqueline [clark.jacqueline@epa.gov]; Braverman, Carole [braverman.carole@epa.gov]; Newman, Erin [newman.erin@epa.gov]  
**Subject:** Issue to elevate to Payne so heads up is given to Butler (Ohio EPA)? RE: PLEASE READ: WVDAQ Request for ORD Assistance

Hi Deb,

Since the R3 DRA was slated to contact Jim Payne with this news. It would be great if Jim Payne could notify Craig Butler of this testing since the Washington Works Facility affects Ohio. We have already reached out to Amy Klei, Ohio EPA's drinking water director. Please let us know if any further information is needed.

Best wishes,  
Heather

---

*Heather A. Shoven  
Chief, Section 1 (Enforcement and Direct Implementation)  
Ground Water and Drinking Water Branch  
U.S. Environmental Protection Agency, Region 5  
(312) 886-0153*

---

**From:** Harris, Kimberly  
**Sent:** Tuesday, August 14, 2018 2:20 PM  
**To:** Holst, Linda <holst.linda@epa.gov>; Baltazar, Debbie <baltazar.debbie@epa.gov>; Poy, Thomas <poy.thomas@epa.gov>; Shoven, Heather <shoven.heather@epa.gov>; Bair, Rita <bair.rita@epa.gov>; Wilson, Jennifer <wilson.jenniferA@epa.gov>  
**Cc:** Klassman, Debra <klassman.debra@epa.gov>; Clark, Jacqueline <clark.jacqueline@epa.gov>; Braverman, Carole <braverman.carole@epa.gov>; Newman, Erin <newman.erin@epa.gov>  
**Subject:** PLEASE READ: WVDAQ Request for ORD Assistance  
**Importance:** High

Hi Linda and Deb,


West Virginia DEQ sent a formal request to ORD asking for assistance in performing PFAS stack testing at the Chemours Washington Works facility. Chemours already conducted their own GenX stack testing, plans to conduct more testing during the week of August 20<sup>th</sup>, and willing to provide split samples to WVDEQ for independent analysis. The state has additional "ask" of ORD including verifying Chemours' testing protocol.

As you may recall, Chemours (formerly DuPont) released PFOA contamination into the environment, including air, groundwater, soil, and drinking water which impacted residents of Ohio and West Virginia. We have a joint 1431 drinking water consent order with Region 3 against Chemours WW.

This request will likely be discussed tomorrow during the RA PFAS check-in meeting. Per internal communication protocol, the OEPA senior management and will need to be notified of the planned testing. From the below note, the R5 DRA has been informed.

Thanks,

Kim



---

**From:** Braverman, Carole

**Sent:** Tuesday, August 14, 2018 1:42 PM

**To:** Nam, Ed <[nam.ed@epa.gov](mailto:nam.ed@epa.gov)>; Furey, Eileen <[furey.eileen@epa.gov](mailto:furey.eileen@epa.gov)>; Harris, Kimberly <[harris.kimberly@epa.gov](mailto:harris.kimberly@epa.gov)>; Newman, Erin <[newman.erin@epa.gov](mailto:newman.erin@epa.gov)>

**Subject:** FW: WVDAQ Request for ORD Assistance

FYI – You may have seen this from R3 already but just in case – West Virginia is requesting ORD assistance on PFAS stack testing. I forwarded this to Jim Payne already.

---

**From:** Poeske, Regina

**Sent:** Tuesday, August 14, 2018 12:53 PM

**To:** Braverman, Carole <[braverman.carole@epa.gov](mailto:braverman.carole@epa.gov)>

**Subject:** FW: WVDAQ Request for ORD Assistance

Carole FYI. Our DRA will be sending an email to your DRA on this assistance request as an FYI. I can follow that up with a message to the R5 folks and you keeping everyone in the loop. Please feel free to share with R5 folks now if you think necessary.

Regina

---

**From:** Durham, William F [<mailto:William.F.Durham@wv.gov>]

**Sent:** Monday, August 13, 2018 2:53 PM

**To:** Fernandez, Cristina <[Fernandez.Cristina@epa.gov](mailto:Fernandez.Cristina@epa.gov)>

**Cc:** Watkins, Tim <[Watkins.Tim@epa.gov](mailto:Watkins.Tim@epa.gov)>; Sonich-Mullin, Cynthia <[Sonich-Mullin.Cynthia@epa.gov](mailto:Sonich-Mullin.Cynthia@epa.gov)>; Gillespie, Andrew <[Gillespie.Andrew@epa.gov](mailto:Gillespie.Andrew@epa.gov)>; Poeske, Regina <[Poeske.Regina@epa.gov](mailto:Poeske.Regina@epa.gov)>; Chow, Alice <[chow.alice@epa.gov](mailto:chow.alice@epa.gov)>; Fenton, Richard W <[Richard.W.Fenton@wv.gov](mailto:Richard.W.Fenton@wv.gov)>; Mandirola, Scott G <[Scott.G.Mandirola@wv.gov](mailto:Scott.G.Mandirola@wv.gov)>

**Subject:** WVDAQ Request for ORD Assistance

Cristina:

Per the attached letter, WVDAQ is requesting stack test assistance from EPA ORD.

Please let me know if you have any questions or need more information.

Thank you.

Fred

William "Fred" Durham

Director

Division of Air Quality

